


**SHORELAND ZONING ORDINANCE
TOWN OF LIVERMORE FALLS**

**ATTEST: A True Copy of an ordinance entitled "Shoreland
Zoning Ordinance of the Town of Livermore Falls" as certified
to me by the Municipal Officers of the Town of Livermore
Falls on the 3rd day of June, 1991.**



Town Clerk, Livermore Falls

SHORELAND ZONING ORDINANCE TOWN OF LIVERMORE FALLS

Section 1. Purposes

The purposes of this ordinance are to further the maintenance of safe and healthful conditions; to prevent and control water pollution; to protect fish spawning grounds, aquatic life, bird and other wildlife habitat; to protect buildings and land from flooding and accelerated erosion; to protect archaeological and historic resources; to protect commercial fishing and maritime industries; to protect freshwater and coastal wetlands; to control building sites, placement of structures and land uses; to conserve shore cover, and visual as well as actual points of access to inland and coastal waters; to conserve natural beauty and open space; and to anticipate and respond to the impacts of development in shoreland areas.

Section 2. Authority

This ordinance has been prepared in accordance with the provisions of Title 38 Sections 435-449 of the Maine Revised Statutes Annotated. (MRSA)

Section 3. Applicability

This ordinance applies to all land areas within 250 feet, horizontal distance, of the normal high-water line of any great pond or river; within 250 feet, horizontal distance, of the upland edge of a freshwater wetland; and within 75 feet, horizontal distance, of the normal high-water line of a stream. This ordinance also applies to any structure built on, over, or abutting a dock, wharf, or pier, or other structure extending beyond the normal high-water line of a water body or within a wetland.

Section 4. Effective Date and Repeal of Formally Adopted Ordinance

This ordinance, which was adopted by the Town legislative body on June 12, 1991, shall not be effective unless approved by the Commissioner of the Department of Environmental Protection. A certified copy of the ordinance, attested and signed by the Town Clerk, shall be forwarded to the Commissioner for approval. If the Commissioner fails to act on this ordinance within forty-five (45) days of its receipt of the ordinance, it shall

be deemed approved. Upon approval of this ordinance, all shoreland zoning ordinances previously adopted are hereby repealed.

Any application for a permit submitted to the Town within the forty-five (45) day period shall be governed by the terms of this ordinance if the ordinance is approved by the Commissioner

Section 5. Availability

A certified copy of this ordinance shall be filed with the Town Clerk and shall be accessible to any member of the public. Copies shall be made available to the public at reasonable cost at the expense of the person making the request. Notice of availability of this ordinance shall be posted.

Section 6. Severability

Should any section or provision of this ordinance be declared by the courts to be invalid, such decision shall not invalidate any other section or provision of the ordinance.

Section 7. Conflicts with Other Ordinances

Whenever a provision of this ordinance conflicts with or is inconsistent with another provision of this ordinance, regulation or statute, the more restrictive provision shall control.

Section 8. Amendments

This ordinance may be amended by majority vote of the legislative body. Copies of amendments, attested and signed by the Town Clerk, shall be submitted to the Commissioner of the Department of Environmental Protection following adoption by the Town legislative body and shall not be effective unless approved by the Commissioner. If the Commissioner fails to act on any amendment within forty-five (45) days of the department's receipt of the amendment, the amendment is automatically approved. Any application for a permit submitted to the Town within the forty-five (45) day period shall be governed by the terms of the amendment, if such amendment is approved by the Commissioner.

Section 9. Districts and Zoning Map

A. Official Shoreland Zoning Map

The areas to which this ordinance is applicable are hereby divided into the following districts as shown on the Official Shoreland Zoning Map which is made a part of this ordinance:

1. Resource Protection
2. Limited Residential
3. Limited Commercial
4. General Development
5. Stream Protection District

B. Certification of Official Shoreland Zoning Map

The Official Shoreland Zoning Map shall be certified by the attested signature of the Town Clerk and shall be located in the Town Office.

C. Changes to the Official Shoreland Zoning

If amendments, in accordance with Section 8, are made in the district boundaries or other matter portrayed on the Official Shoreland Zoning Map, such changes shall be made on the Official Shoreland Zoning Map within thirty (30) days after the amendment has been approved by the Commissioner of the Department of Environmental Protection.

Section 10. Interpretation of District Boundaries

Unless otherwise set forth on the Official Shoreland Zoning Map, district boundary lines are property lines, the center lines of streets, roads and rights of way, and the boundaries of the shoreland area as defined herein. Where uncertainty exists as to the exact location of district boundary lines, the Planning Board shall be the final authority as to location.

Section 11. Land Use Requirements

Except as hereinafter specified, no building, structure or land shall hereafter be used or occupied, and no building or structure or part thereof shall hereafter be erected, constructed, expanded, moved, or altered and no new

lot shall be created except in conformity with all of the regulations herein specified for the district in which it is located, unless a variance is granted.

Section 12. Nonconformance

A. Purpose

It is the intent of this ordinance to promote land use conformities, except that nonconforming conditions that legally existed before the effective date of this ordinance shall be allowed to continue, subject to the requirements set forth in this section.

B. General

1. Transfer of ownership: nonconforming structures, lots and uses may be transferred, and the new owner may continue the non-conforming use or continue to use the non-conforming structure or lot, subject to the provisions of this ordinance.

2. Repair and maintenance: this ordinance allows, without a permit, the normal upkeep and maintenance of nonconforming uses and structures including repairs or renovations which do not involve expansion of the nonconforming use or structure, and such other changes in a nonconforming use or structure as federal, state or local building and safety codes may require.

NOTE: See Section 17 for the definitions of nonconforming structures, nonconforming uses, and nonconforming lots.

C. Nonconforming Structures

1. Expansions: a nonconforming structure may be added to or expanded after obtaining a permit from the same permitting authority as that for a new structure, if such addition or expansion does not increase the nonconformity of the structure.

Further Limitations:

a. After January 1st 1989 if any portion of a structure is less than the required setback from the normal high-water line of a water body or upland

edge of a wetland, that portion of the structure shall not be expanded in floor area or volume, by 30% or more, during the lifetime of the structure.

b. Construction or enlargement of a foundation beneath the existing structure shall not be considered an expansion of the structure provided; that the structure and new foundation are placed such that the setback requirement is met to the greatest practical extent as determined by the Planning Board, basing its decision on the criteria specified in Subsection 2. Relocation, below; that the completed foundation does not extend beyond the exterior dimensions of the structure; and that the foundation does not cause the structure to be elevated by more than three (3) additional feet.

c. No structure which is less than the required setback from the normal high-water line of a water body, tributary stream or upland edge of a wetland, shall be expanded toward the water body, tributary stream, or wetland.

2. Relocation: A nonconforming structure may be relocated within the boundaries of the parcel on which the structure is located provided that the site of relocation conforms to all setback requirements to the greatest practical extent as determined by the Planning Board and provided that the applicant demonstrates that the present subsurface sewage disposal system meets the requirements of state law and the State of Maine Subsurface Wastewater Disposal Rules (Rules), or that a new system can be installed in compliance with the law and said Rules. In no case shall a structure be relocated in a manner that causes the structure to be more nonconforming.

In determining whether the building relocation meets the setback to the greatest practical extent, the Planning Board shall consider the size of a lot, the slope of the land, the potential for soil erosion, the location of other structures on the property and on adjacent properties, the location of the septic system and other on-site soils suitable for septic systems, and the type and amount of vegetation to be removed to accomplish the relocation.

3. Reconstruction or replacement: any nonconforming structure which is located less than the required setback from the normal high-water line of a water body, a tributary stream, or upland edge of a wetland and which is removed, or damaged or destroyed by more than 50% of the market value of the structure before such damage, destruction or removal, and provided that such reconstruction or replacement is in compliance with the water setback

requirement to the greatest practical extent as determined by the Planning Board in accordance with the purposes of this ordinance. In no case shall a structure be reconstructed or replaced so as to increase its nonconformity.

Any nonconforming structure which is damaged or destroyed by 50% or less of the market value of the structure, excluding normal maintenance and repair, may be reconstructed in place with a permit, from the Code Enforcement Officer.

In determining whether the building reconstruction or replacement meets the water setback to the greatest practical extent the Planning Board shall consider in addition to the criteria in paragraph 2 above, the physical condition and type of foundation present, if any.

4. Change of use of a nonconforming structure: the use of a nonconforming structure may not be changed to another use unless the Planning Board, after receiving a written application, determines that the new use will have no greater adverse impact on the water body or wetland, or on the subject or adjacent properties and resources than the existing use.

In determining that no greater adverse impact will occur, the Planning Board shall require written documentation from the applicant, regarding the probable effects on public health and safety, erosion and sedimentation, water quality, fish and wildlife habitat, vegetative cover, visual and actual points of public access to waters, natural beauty, floodplain management, archeological and historic resources, and other functionally water-dependent uses.

D. Nonconforming Uses

1. Expansions: expansions of nonconforming uses are prohibited, except that nonconforming residential uses may, after obtaining a permit from the Planning Board, be expanded within existing residential structures or within expansions of such structures as permitted in Section 12 (C)(1)(a) above.

2. Resumption prohibited: a lot, building or structure in or on which a nonconforming use is discontinued for a period exceeding one year, or which is superseded by a conforming use, may not again be devoted to a nonconforming use except that the Planning Board may, for good cause shown by the applicant, grant up to a one year extension to that time period.

This provision shall not apply to the resumption of a use of a residential structure provided that the structure has been used or maintained for the residential purposes during the preceding five (5) year period.

3. Change of use: an existing nonconforming use may be changed to another nonconforming use provided that the proposed use has no greater adverse impact on the subject and adjacent properties and resources, than the former use, as determined by the Planning Board. The determination of no greater adverse impact shall be made according to criteria listed in Section 12 (C)(4) above.

E. Nonconforming Lots

1. Nonconforming lots: a nonconforming lot of record as of the effective date of this ordinance or amendment thereto may be built upon, without the need for a variance, provided that such lot is in separate ownership and not contiguous with any other lot in the same ownership, and that all provisions of this ordinance except lot size and frontage can be met. Variances relating to setback or other requirements not involving lot size or frontage shall be obtained by action of the Board of Appeals.

2. Contiguous built lots: If two or more contiguous lots or parcels are in a single or joint ownership of record at the time of adoption of this ordinance, if all or part of the lots do not meet the dimensional requirements of this ordinance, and if a principal use or structure exists on each lot, the nonconforming lots may be conveyed separately or together, provided that the State Minimum Lot Size Law and Subsurface Wastewater Disposal Rules are complied with.

If two or more principal uses or structures existed on a single lot of record on the effective date of this ordinance, each may be sold on a separate lot provided that the above referenced law and rules are complied with. When such lots are divided each lot thus created must be as conforming as possible to the dimensional requirements of this ordinance.

3. Contiguous lots - vacant or partially built: If two or more contiguous lots or parcels are in single or joint ownership of record at the time of or since adoption or amendment of this ordinance, if any of these do not individually meet the dimensional requirements of this ordinance or subsequent amendments, and if one or more of the lots are vacant or contain no principal

structure the lots shall be combined to the extent necessary to meet the dimensional requirements.

This provision shall not apply to two more contiguous lots, at least one of which is nonconforming, owned by the same person or persons on the effective date of this ordinance and recorded in the Registry of Deeds if the lot can be served by a public sewer or can accommodate a subsurface sewage disposal system in conformance with the State of Maine Subsurface Wastewater Disposal Rules, and:

- a. Each lot contains at least 100 feet of shore frontage and at least 20,000 square feet of lot area; or
- b. Any lots that do not meet the frontage and lot size requirements of subparagraph a. are reconfigured or combined so that each new lot contains at least 100 feet of shore frontage and 20,000 square feet of lot area.

Section 13. Establishment of Districts

A. Resource Protection District

The Resource Protection District includes areas in which development would adversely affect water quality, productive habitat, biological ecosystems, or scenic and natural values. This district shall include the following areas when they occur within the limits of the shoreland zone, except that areas which are currently developed and areas which meet the criteria for the Limited Commercial or General Development Districts need not be included within the Resource Protection District.

1. Areas within 250 feet, horizontal distance, of the upland edge of freshwater wetlands, and wetlands associated with great ponds and rivers, which are rated "moderate" or "high" by the Maine Department of Inland Fisheries and Wildlife as of January 1st, 1973.
2. Floodplains along rivers and floodplains along artificially formed great ponds along rivers, defined by the 100 year floodplain as designated on the Federal Emergency Management Agency's (FEMA) Flood Insurance Rate Maps, or Flood Hazard Boundary Maps, or the flood of record, or in the absence of these, by soil types identified as recent flood plain soils and/or local knowledge.

3. Areas of two or more contiguous acres with sustained slopes of 20% or greater.
4. Areas of two or more contiguous acres supporting wetland vegetation and hydric soils, which are not part of a freshwater wetland as defined, and which are not surficially connected to a water body during normal spring high water.
5. Land areas along rivers subject to severe bank erosion, undercutting, or river bed movement.

B. Limited Residential District

The Limited Residential District includes those areas suitable for residential and recreational development. It includes areas other than those in the Resource Protection District, or Stream Protection District, and areas which are used less intensively than those in the Limited Commercial District or the General Development District.

C. Limited Commercial District

The Limited Commercial District includes areas of mixed, light commercial and residential uses, exclusive of the Stream Protection District, which should not be developed as intensively as the General Development District. This district includes areas of two or more contiguous acres in size devoted to a mix of residential and low intensity business and commercial uses. Industrial uses are prohibited.

D. General Development District

The General Development District includes the following types of areas:

1. Areas of two more contiguous acres devoted to commercial, industrial or intensive recreational activities, or a mix of such activities, including but not limited to the following:
 - a. Areas devoted to manufacturing, fabricating, or other industrial activities;

- b. Areas devoted to wholesaling, warehousing, retail trade and service activities, or other commercial activities; and
- c. Areas devoted to intensive recreational development and activities, such as, but not limited to, amusement parks, racetracks, and fairgrounds.

2. Areas otherwise discernible as having patterns of intensive commercial, industrial or recreational uses.

Portions of the General Development District may also include residential development. However, no area shall be designated as a General Development District based solely on residential use.

D. Stream Protection District

The Stream Protection District includes all land areas within 75 feet, horizontal distance, of the normal high-water line of a stream, exclusive of those areas within 250 feet, horizontal distance, of the normal high-water line of a great pond or river, or within 250 feet, horizontal distance, of the upland edge of a freshwater wetland. Where a stream and its associated shoreland area is located within 250 feet, horizontal distance, of the above water bodies or wetlands, that land area shall be regulated under the terms of the shoreland district associated with that water body or wetland.

Section 14. Table of Land Uses

All land use activities, as indicated in Table 1, Land Uses in the Shoreland Zone A, shall conform with all of the applicable land use standards in Section 15. The district designation for a particular site shall be determined from the Official Shoreland Zoning Map.

Key to Table 1:

- Yes: Allowed (no permit required but the use must comply with all applicable land use standards.)
- No: Prohibited
- PB: Requires permit issued by the Planning Board
- CEO: Requires permit issued by the Code Enforcement Officer
- LPI: Requires permit issued by the Local Plumbing Inspector

Abbreviations:

RP:	Resource Protection
LR	Limited Residential
LC:	Limited Commercial
GD:	General Development
SP:	Stream Protection

LAND USES IN THE SHORELAND ZONE

LAND USES	DISTRICTS				
	SP	RP	LR	LC	GD
1. Non-intensive recreational uses not requiring structures such as hunting, fishing and hiking	yes	yes	yes	yes	yes
2. Motorized vehicular traffic on existing roads and trails	yes	yes	yes	yes	yes
3. Forest management activities except for timber harvesting	yes	yes	yes	yes	yes
4. Timber harvesting	yes	CEO ¹	yes	yes	yes
5. Clearing of vegetation for approved construction and other allowed uses	CEO	CEO ¹	yes	yes	yes
6. Fire prevention activities	yes	yes	yes	yes	yes
7. Wildlife management practices	yes	yes	yes	yes	yes
8. Soil and water conservation practices	yes	yes	yes	yes	yes
9. Mineral exploration	no	yes ²	yes ²	yes ²	yes ²
10. Mineral extraction including sand and gravel extraction	no	PB ³	PB	PB	PB
11. Surveying and resource analysis	yes	yes	yes	yes	yes
12. Emergency operations	yes	yes	yes	yes	yes
13. Agriculture	yes	PB	yes	yes	yes
14. Aquaculture	PB	PB	PB	yes	yes
15. Principal structures and uses	PB ⁴	no ⁵	CEO	CEO	CEO
A. One and two family residential					
B. Multi-unit residential	no	no	PB	PB	PB
C. Commercial	no	no	no	PB	PB
D. Industrial	no	no	no	no	PB
E. Governmental and Institutional	no	no	no	PB	PB
F. Small nonresidential facilities for educational, scientific or nature interpretation purposes	PB ⁴	PB	CEO	CEO	yes
16. Structures accessory to allowed uses	PB ⁴	PB	CEO	CEO	yes
17. Piers, docks, wharfs, bridges and other structures and uses extending over or below the normal high-water line or within a wetland					
a. Temporary	CEO	CEO	CEO	CEO	CEO
b. Permanent	PB	PB	PB	PB	PB
18. Conversions of seasonal residences to year-round residences	LPI	LPI	LPI	LPI	LPI
19. Home occupations	PB	no	PB	CEO	yes
20. Private sewage disposal systems for allowed uses	LPI	LPI	LPI	LPI	LPI
21. Essential services	PB ⁶	PB ⁶	PB	PB	PB
22. Service drops, as defined, to allowed uses	yes	yes	yes	yes	yes
23. Public and private recreational areas involving minimal structural development	PB	PB	PB	CEO	CEO
24. Individual, private campsites	CEO	CEO	CEO	CEO	CEO

25. Campgrounds	no	no ⁶	PB	PB	PB
26. Road and driveway construction	PB	no ⁷	PB	PB	PB
27. Parking facilities	no	no ⁶	PB	PB	PB
28. Marinas	PB	no	PB	PB	PB
29. Filling and earthmoving <10 cubic yards	CEO	CEO	yes	yes	yes
30. Filling and earthmoving >10 cubic yards	PB	PB	CEO	CEO	CEO
31. Signs (new or replacement)	yes	yes	yes	yes	yes
32. Uses similar to allowed uses	CEO	CEO	CEO	CEO	CEO
33. Uses similar to uses requiring a CEO permit	CEO	CEO	CEO	CEO	CEO
34. Uses similar to uses requiring a PB permit	PB	PB	PB	PB	PB

¹In RP not permitted within 75 feet of the normal high water line of great ponds, except to remove safety hazards.

²Requires permit if more than 100 square feet of surface area, in total is disturbed.

³In RP not permitted in areas so designated because of wildlife value.

⁴Provided that a variance from the setback requirement is obtained from the Board of Appeals.

⁵See further restrictions in Section 15(L)(2)

⁶Except when area is zoned for resource protection due to floodplain criteria in which case a permit is required from the PB.

⁷Except to provide access to permitted uses within the district, or where no reasonable alternative route or location is available outside the RP area, in which case a permit is required from the PB.

⁸Single family residential structures may be allowed by special exception only according to Section 16.E. Two family residential structures are prohibited.

Section 15. Land Use Standards

All land use activities within the shoreland zone shall conform with the following provisions, if applicable.

A. Minimum Lot Standards

1.

	Minimum Lot Area (square feet)	Minimum Shore Frontage (feet)	Minimum Road Frontage (feet)
Residential per dwelling unit	40,000	200	150
Governmental, Insti- tutional, Commercial or Industrial per Prin- cipal Structure	60,000	300	250
Public and Private Recreational Facilities	40,000	200	150

2. Land below the normal high-water line of a water body or upland edge of a wetland and land beneath roads serving more than two lots shall not be included toward calculating minimum lot area.

3. Lots located on opposite sides of the public or private road shall be considered each a separate tract or parcel of land unless such road was established by the owner of land on both sides thereof after September 22, 1971.

4. The minimum width of any portion of any lot within 100 feet, horizontal distance, of the normal high-water line of a water body or upland edge of a wetland shall be equal to or greater than the shore frontage requirement for a lot with the proposed use.

5. If more than one residential dwelling unit or more than one principal commercial or industrial structure is constructed on a single parcel, all dimensional requirements shall be met for each additional dwelling unit or principal structure.

B. Principal and Accessory Structures

1. All new principal and accessory structures shall be set back at least 100 feet from the normal high-water line of great ponds and 75 from the normal high-water line of other water bodies, tributary streams, or the upland edge of a wetland, except that in the General Development District, the setback from the normal high water line shall be a least 25 feet.

In addition:

a. The water body or wetland setback provision shall neither apply to structures which require direct access to the water as an operational necessity, such as piers, docks and retaining walls, nor to other functionally water-dependent uses.

b. The Planning Board may increase the required setback of a proposed structure, as a condition to permit approval, if necessary to accomplish the purposes of this ordinance. Instances where a greater setback may be appropriate include, but not be limited to, areas of steep slope; shallow or erodible soils; or where an adequate vegetative buffer does not exist.

2. Principal or accessory structures and expansions of existing structures which are permitted in the Resource Protection, Limited Residential, Limited Commercial, and Stream Protection Districts, shall not exceed 35 feet in height. This provision shall not apply to structures such as transmission towers, windmills, antennas, and similar structures having no floor area.

3. The first floor elevation or openings of all buildings and structures including basements shall be elevated at least one foot above the elevation of the 100 year flood, the flood of record, or in the absence of these, the flood as defined by soil types identified as recent flood plain soils.

4. The total area of all structures, parking lots and other non-vegetated surfaces, within the shoreland zone shall not exceed 20% of the lot or a portion thereof, located within the shoreland zone, including land area previously developed, except in the General Development District adjacent to the Androscoggin River, where a lot coverage shall not exceed 70%.

5. Notwithstanding the requirements stated above, stairways or similar structures may be allowed with a permit from the Code Enforcement Officer, to provide shoreline access in the areas of steep slopes or unstable soils provided; that the structure is limited to a maximum of four feet in width; that the structure does not extend below or over the normal high-water-line of a water body or upland edge of a wetland, (unless permitted by the Department of Environmental Protection pursuant to the Natural Resources Protection Act, Title 38, Section 480-C); and that the applicant demonstrates that no reasonable access alternative exists on the property.

C. Piers, Docks, Wharfs, Bridges and Other Structures and Uses Extending Over and Beyond the Normal High-Water Line of a Water Body or Within a Wetland

1. Access from shore shall be developed on soils appropriate for such use and constructed so as to control erosion.
2. The location shall not interfere with existing developed or natural beach areas.
3. The facility shall be located so as to minimize adverse effects on fish habitat.
4. The facility shall be no larger in dimension than necessary to carry on the activity and be consistent with existing conditions, use, and character of the area.
5. No new structure shall be built on, over or abutting a pier, wharf, dock or other structure extending beyond the normal high-water line of a water body or within a wetland unless the structure requires direct access to the water as an operational necessity.
6. No existing structures built on, over or abutting a pier, dock, wharf or other structure extending beyond the normal high-water line of a water body

or within a wetland shall be converted to residential dwelling units in any district.

7. Except in the General Development District structures built on, over or abutting a pier, wharf, dock or other structure extending beyond the normal high-water line of a water body or within a wetland shall not exceed 20 feet in height above the pier, wharf, dock or other structure.

D. Campgrounds

Campgrounds shall conform to the minimum requirements imposed under State licensing procedures and the following:

1. Campgrounds shall contain a minimum 5000 square feet of land, not including roads and driveways, for each site. Land supporting wetland vegetation, and land below the normal high-water line of a water body shall not be included in calculating land area per site.
2. The areas intended for placement of a recreational vehicle, tent or shelter, and utility and service buildings shall be set back a minimum of 100 feet from the normal high-water line of the great pond, and 75 feet from the normal high-water line of other water bodies, tributary streams, or the upland edge of a wetland.

D. Individual Private Campsites

Individual, private campsites not associated with campgrounds are permitted providing the following conditions are met:

1. One camp site per lot existing on the effective date of this ordinance, or 30,000 square feet of lot area within the shoreland zone, whichever is less, may be permitted.
2. Campsite placement on any lot, including the area intended for a recreational vehicle or tent platform, shall be set back 100 feet from the normal high-water line of a great pond, and 75 feet from the normal high-water line of other water bodies, tributary streams, or the upland edge of a wetland.

3. Recreational vehicles shall not be located on any type of permanent foundation except for a gravel pad, and no structure(s) except canopies shall be attached to the recreational vehicle.
4. The clearing of vegetation for the siting of the recreational vehicle, tents or similar shelter in a Resource Protection District shall be limited to 1000 square feet.
5. A written sewage disposal plan describing the proposed method and location of sewage disposal shall be required for each campsite and shall be approved by the Code Enforcement Officer. Where disposal is off-site, written authorization from the receiving facility or land owner is required.
6. When a recreational vehicle, tent or similar shelter is placed on-site for more than 120 days per year, all requirements for residential structures shall be met, including the installation of a subsurface sewage disposal system in compliance with the State of Maine Subsurface Wastewater Disposal Rules unless served by public sewage facilities.

F. Commercial and Industrial Uses

The following new commercial and industrial uses are prohibited within the shoreland zone adjacent to great ponds:

- a. Auto washing facilities
- b. Auto or other vehicle service and/or repair operations, including body shops
- c. Chemical and bacteriological laboratories
- d. Storage of chemicals, including herbicides, pesticides or fertilizers other than amounts normally associated with individual households or farms
- e. Commercial painting, wood preserving, and furniture stripping
- f. Dry cleaning establishments
- g. Electronic circuit assembly
- h. Laundromats, unless connected to a sanitary sewer
- i. Metal plating, finishing, or polishing
- j. Petroleum or petroleum products storage and/or sale except storage on same property as use occurs and except for storage and sales associated with marinas
- k. Photographic processing

I. Printing

G. Parking Areas

1. Parking areas shall meet the shoreline setback requirements for structures for the district in which such areas are located. The setback requirement for parking areas serving public boat launching facilities, in districts other than the General Development District may be reduced to no less than 50 feet from the normal high-water line or upland edge of a wetland if the Planning Board finds that no other reasonable alternative exists.
2. Parking areas shall be adequately sized for the proposed use and shall be designed to prevent stormwater runoff from flowing directly into a water body, and where feasible, to retain all runoff on-site.
3. In determining the appropriate size of proposed parking facilities, the following shall apply:
 - a. Typical parking space: approximately 10 feet wide and 20 feet long, except that parking spaces for a vehicle and boat trailer shall be 40 feet long.
 - b. Internal travel aisles: approximately 20 feet wide.

H. Roads and Driveways

The following standards shall apply to the construction of roads and/or driveways and drainage systems, culverts and other related features.

1. Roads and driveways shall be set back at least 100 feet from the normal high-water line of a great pond, and 75 feet from the normal high-water line of other water bodies, tributaries streams, or the upland edge of a wetland unless no reasonable alternative exists as determined by the Planning Board. If no other reasonable alternative exists, the Planning Board may reduce the road and/or a driveway setback requirement to no less than 50 feet upon clear showing by the applicant that appropriate techniques will be used to prevent sedimentation of the water body. Such techniques may include, but not limited to, the installation of settling basins, and/or the effective use of additional ditch relief culverts and turnouts placed to avoid sedimentation of the water body, tributary stream, or wetland.

On slopes of greater than 20% the road and/or a driveway setback shall be increased by 10 feet for each 5% increase in slope above 20%.

This paragraph shall neither apply to approaches to water crossings nor to roads or driveways that provide access to permitted structures, and facilities located nearer to the shoreline due to an operational necessity.

2. Existing public roads may be expanded within the legal road right of way regardless of its setback from a water body.

3. New roads and driveways are prohibited in a Resource Protection District except to provide access to permitted uses within the district, or as approved by the Planning Board upon a finding that no reasonable alternative route or location is available outside the district, in which case the road and/or a driveway shall be set back as far as practicable from the normal high-water line of a water body, a tributary stream, or upland edge of a wetland.

4. Road banks shall be no steeper than a slope of 2 horizontal to 1 vertical, and shall be graded and stabilized in accordance with the provisions for erosion and sedimentation control contained in Subsection Q.

5. Road grades shall be no greater than 10% except for short segments of less than 200 feet.

6. In order to prevent road surface drainage from directly entering water bodies, roads shall be designed, constructed, and maintained to empty onto an unscarified buffer strip at least 50 feet plus two times the average slope, in width between the outflow point of the ditch or culvert and the normal high-water line of a water body, tributary stream, or upland edge of a wetland. Road surface drainage which is directed to an unscarified buffer strip shall be diffused or spread out to promote infiltration of the runoff and to minimize channelized flow of the drainage through the buffer strip.

7. Ditch relief (cross drainage) culverts, drainage dips and water turnout shall be installed in a manner effective in directing drainage onto unscarified buffer strips before the flow in the road or ditches gains sufficient volume or head to erode the road or ditch. To accomplish this, the following shall apply:

a. Ditch relief culverts, drainage dips and associated water turnouts shall be spaced along the road at intervals no greater than indicated in the following table:

Road Grade (percent)	Spacing (feet)
0-2	250
3-5	200-135
6-10	100-80
11-15	80-60
16-20	60-45
21+	40

b. Drainage dips may be used in place of ditch relief culverts only where the road grade is 10% or less.

c. On road sections having slopes greater than 10%, ditch relief culverts shall be placed across the road at approximately a 30 degree angle down slope from a line perpendicular to the centerline of the road.

d. Ditch relief culverts shall be sufficiently sized and properly installed in order to allow for effective functioning, and their inlet and outlet ends shall be stabilized with appropriate materials.

8. Ditches, culverts, bridges, dips, water turnouts and other storm water runoff control installations associated with roads shall be maintained on a regular basis to assure effective functioning.

I. Signs

The following provisions shall govern the use of signs in the Resource Protection, Stream Protection, Limited Residential and Limited Commercial Districts:

1. Signs and billboards relating to goods and services sold on the premises shall be permitted, provided that such signs shall not exceed 6 square feet in

area and shall not exceed 2 signs per premises. Billboards and signs relating to goods or services not sold or rendered on the premises shall be prohibited.

2. Name signs shall be permitted, provided such signs shall not exceed 2 signs per premises.
3. Residential users may display a single sign not over 3 square feet in area relating to the sale, rental or lease of the premises.
4. Signs relating to trespassing and hunting shall be permitted without restriction as to number provided that no such sign shall exceed 2 square feet in area.
5. Signs relating to public safety shall be permitted without restriction.
6. No sign shall extend higher than 20 feet above the ground.
7. Signs may be illuminated only by shielded, non-flashing lights.

J. Storm Water Runoff

1. All new construction and development shall be designed to minimize storm water runoff from the site in excess of the natural predevelopment conditions. Where possible, existing natural runoff control features, such as berms, swales, terraces and wooded areas shall be retained in order to reduce runoff and encourage infiltration of storm waters.
2. Storm water runoff control systems shall be maintained as necessary to ensure proper functioning.

K. Septic Waste Disposal

1. All subsurface sewage disposal systems shall be installed in conformance with the State of Maine Subsurface Wastewater Disposal Rules (Rules).

L. Essential Services

1. Where feasible, the installation of the essential services shall be limited to existing public ways and existing service corridors.

2. The installation of the essential services is not permitted in a Resource Protection District or Stream Protection District, except to provide services to a permitted use within said district, or except where the applicant demonstrates that no reasonable alternative exists. Where permitted, such structures and facilities shall be located so as to minimize any adverse impacts on surrounding uses and resources, including visual impacts.

M. Mineral Exploration and Extraction

Note: this includes mining of topsoil and loam. For additional information see the definition of Mineral Extraction in Section 17.

Mineral exploration to determine the nature or extent of mineral resources shall be accomplished by hand sampling, test boring, or other methods which create minimal disturbance of less than 100 square feet ground surface. A permit from the Code Enforcement Officer shall be required for mineral exploration which exceeds the above limitation. All excavations, including test pits and holes shall be immediately capped, filled or secured by other equally effective measures, so as to restore disturbed areas and to protect the public health and safety.

Mineral extraction may be permitted under the following conditions:

1. A reclamation plan shall be filed with, and approved by the Planning Board before a permit is granted. Such plan shall describe in detail procedures to be undertaken to fulfill the requirements of paragraph 3 below.
2. Unless authorized pursuant to the Natural Resources Protection Act, Title 38, M R S A, Section 480-C no part of any extraction operation, including drainage and runoff control features shall be permitted within 100 feet of the normal high-water line of a great pond, and within 75 feet of the normal high-water line of any other water body, tributary stream, or the upland edge of a wetland. Extraction operations shall not be permitted within 75 feet of any property line, without written permission of the owner of such adjacent property.
3. Within 12 months following the completion of extraction operations at any extraction site, which operations shall be deemed complete when less than 100 cubic yards of materials are removed in any consecutive twelve

months, ground levels and grades shall be established in accordance with the following:

a. All debris, stumps, and similar material shall be removed for disposal in an approved location, or shall be buried on-site. Only materials generated on-site may be buried or covered on-site.

b. The final graded slope shall be two to one (2:1) slope or flatter.

c. Top soil or loam shall be retained to cover all disturbed land areas, which shall be reseeded and stabilized with vegetation native to the area. Additional topsoil or loam shall be obtained from off site sources if necessary to complete the stabilization project.

4. In keeping with the purposes of this ordinance, the Planning Board may impose such conditions as are necessary to minimize the adverse impacts associated with mineral extraction operations on surrounding uses and resources.

N. Agriculture

1. All spreading or disposal of manure shall be accomplished in conformance with the Maine Guidelines for Manure and Manure Sludge Disposal on Land published by the University of Maine Soil and Water Conservation Commission in July 1972.

2. Manure shall not be stored or stockpiled within 100 feet, horizontal distance, of a great pond, or within 75 feet horizontal distance, of other water bodies, tributary streams, or wetlands. Within five years of the effective date of this ordinance all manure storage areas within the shoreland zone must be constructed or modified such that the facility produces no discharge of effluent or contaminated storm water. Existing facilities which do not meet the setback requirement may remain, but must meet the no discharge provision within the above five-year period.

3. Agricultural activities involving tillage of soil greater than 40,000 square feet in surface area, or the spreading, disposal or storage of manure within the shoreland zone shall require a Soil and Water Conservation Plan to be filed with the Planning Board. Non-conformance with the provisions of said plan shall be considered to be a violation of this ordinance.

4. There shall be no new tilling of soil within 100 feet, horizontal distance, of the normal high-water line of a great pond; within 75 feet, horizontal distance, from other water bodies; nor within 25 feet, horizontal distance, of tributary streams, and wetlands. Operations in existence on the effective date of this ordinance and not in conformance with this provision may be maintained.

5. After the effective date of this ordinance, newly established livestock grazing areas shall not be permitted within 100 feet, horizontal distance, of the normal high-water line of a great pond; within 75 feet, horizontal distance of other water bodies, nor; within 25 feet, horizontal distance of tributary streams, and wetlands. Livestock grazing associated with ongoing farm activities, and which are not in conformance with the above setback provisions may continue, provided that such grazing is conducted in accordance with a Soil and Water Conservation Plan.

O. Timber Harvesting

1. Within in the strip of land extending 75 feet inland from the normal high-water line in a shoreland area zoned for Resource Protection abutting a great pond there shall be no timber harvesting, except to remove safety hazards.

2. Except in areas as described in paragraph 1 above, timber harvesting shall conform with the following provisions:

a. Selective cutting of no more than 40% of the total volume of trees 4 inches or more in diameter measured at 4 1/2 feet above ground level on any lot in any 10 year period is permitted. In addition;

i. Within 100 feet, horizontal distance of the normal high-water line of a great pond, and within 75 feet, horizontal distance, of the normal high-water line of other water bodies, tributary streams, or the upland edge of a wetland, there shall be no clear-cut openings and a well distributed stand of trees and other vegetation, including existing ground cover, shall be maintained.

ii. At distances greater than 100 feet, horizontal distance, of a great pond, and greater than 75 feet, horizontal distance, of the

normal high-water line of other water bodies or the upland edge of a wetland, harvesting operations shall not create single clear-cut openings greater than 10,000 square feet in the forest canopy. Where such openings exceed 5000 square feet they shall be at least 100 feet apart. Such clear-cut openings shall be included in the calculation of total volume removal. For the purposes of these standards volume may be considered to be equivalent to basal area.

b. No accumulation of slash shall be left within 50 feet of the normal high-water line of a water body. In all other areas slash shall either be removed or disposed of in such a manner that it lies on the ground and no part thereof extends within 4 feet above the ground. Any debris that falls below the normal high-water line of water body shall be removed.

c. Timber harvesting equipment shall not use stream channels as travel routes except when:

i. Surface waters are frozen; and

ii. The activity will not result in any ground disturbance.

d. All crossings of flowing water shall require a bridge or culvert, except in areas with low banks and channel beds which are composed of gravel, rock or similar hard surface which would not be eroded or otherwise damaged.

e. Skid trail approaches to water crossings shall be located and designed so as to prevent water runoff from directly entering the water body or tributary stream. Upon completion of timber harvesting, temporary bridges and culverts shall be removed and areas of exposed soil revegetated.

f. Except for water crossings, skid trails and other sites where the operation of machinery used in the timber harvesting results in the exposure of mineral soil shall be located such that an unscarified stripped of vegetation of at least 75 feet in width for slopes up to 10% shall be retained between the exposed mineral soil and the normal high-water line of a water body or upland edge of a wetland. For

each 10% increase in slope, the unscarified strip shall be increased by 20 feet. The provisions of this paragraph apply only to face sloping toward the water body or wetland, provided, however, that no portion of such exposed mineral soil on a back face shall be closer than 25 feet from the normal high-water line of a water body or upland edge of wetland .

g. Timber harvesting operations exceeding the 40% limitation in paragraph a. above, may be allowed by the Planning Board upon a clear showing, including a forest management plan signed by a Maine licensed professional forester, that such an exception is necessary for good forest management and will be carried out in accordance with the purpose of this ordinance. The Planning Board shall notify the Commissioner of the Department of Environmental Protection of each exception allowed, within 14 days of the Planning Board decision.

P. Clearing of Vegetation for Development

1. Within a shoreland area zoned for Resource Protection abutting a great pond, there shall be no cutting of vegetation within the strip of land extending 75 feet, horizontal distance, inland from the normal high-water line, except to remove safety hazards.

Elsewhere, in any Resource Protection the clearing of vegetation shall be limited to that which is necessary for uses expressly authorized in that district.

2. Except in areas as described in paragraph 1, above, and except to allow for the development of permitted uses, within a strip of land extending 100 feet, horizontal distance, inland from the normal high-water line of a great pond, and 75 feet, horizontal distance, from any other water body, tributary stream, or the upland edge of a wetland, a buffer strip of vegetation shall be preserved as follows:

a. There shall be no cleared opening greater than 250 square feet in the forest canopy as measured from the outer limits of the tree crown. However, a footpath not to exceed 10 feet in width as measured between tree trunks is permitted provided that a cleared line of sight to the water through the buffer strip is not created. Adjacent to a great pond, the width of the footpath shall be limited to six feet.

b. Selective cutting of trees within the buffer strip is permitted provided that a well distributed stand of trees and other vegetation is maintained. For the purposes of this section a "well-distributed stand of trees and other vegetation" adjacent to a great pond shall be defined as maintaining a rating score of 12 or more in any 25 foot by 25 foot square (625 square feet) area as determined by the following rating system.

Diameter of tree at 4 1/2 feet above ground level (inches)	Points
2-4	1
>4-12	2
>12	4

Adjacent to other water bodies, tributary streams, and wetlands, a "well-distributed stand of trees and other vegetation" is defined as maintaining a minimum rating score of 8 per 25-foot square area.

Notwithstanding the above provisions, no more than 40 percent of the total volume of trees 4 inches or more in diameter, measured at 4 1/2 feet above the ground level may be removed in any 10 year period.

c. In order to protect water quality and wildlife habitat, adjacent to great ponds, existing vegetation under 3 feet in height and other ground cover shall not be removed, except to provide for a footpath or other permitted uses as described in paragraphs 2 and 2a above.

d. Pruning of tree branches, on the bottom 1/3 of the tree is permitted.

e. In order to maintain a buffer strip of vegetation, when the removal of storm-damaged, diseased, unsafe, or dead trees results in the creation of cleared openings, these openings shall be replanted with native tree species unless existing new tree growth is present.

The provisions contained in paragraph 2 above shall not apply to those portions of public recreational facilities adjacent to public swimming areas. Cleared areas, however, shall be limited to the minimum area necessary.

3. At distances greater than 100 feet, horizontal distance, from a great pond, and 75 feet, horizontal distance, from the normal high-water line of any other water body, tributary stream, or the upland edge of a wetland, except to allow for the development of permitted uses, there shall be permitted on any lot, in any 10 year period, selective cutting of not more than 40% of the volume of trees 4 inches or more in diameter, measured 4 1/2 feet above ground level. Tree removal in conjunction with the development of permitted uses shall be included in the 40% calculation. For the purposes of these standards volume may be considered to be equivalent to basal area.

In no event shall cleared openings for development, including but not limited to, principal and accessory structures, driveways and sewage disposal areas, exceed in the aggregate, 25 percent of the lot area or 10,000 square feet, whichever is greater, including land previously developed. This tradition shall not apply to the General Development District.

4. Cleared openings legally in existence on the effective date of this ordinance may be maintained, but shall not be enlarged, except as permitted by this ordinance.

5. Fields which have reverted to primarily shrubs, trees, or other woody vegetation shall be regulated under the provisions of this section.

Q. Erosion and Sedimentation Control

1. All activities which involve filling, grading, excavation, or other similar activities which results in unstabilized soil conditions and which require a permit shall require a written soil erosion and sedimentation control plan. The plan shall be submitted to the permitting authority for approval and shall include, where applicable, provisions for:

- a. Mulching and revegetation of disturbed soil.
- b. Temporary runoff control features such as hay bales, silt fencing or diversion ditches.

- c. Permanent stabilization structures such as retaining walls or riprap.
2. In order to create the least potential for erosion, development shall be designed to fit with the topography and soils of the site. The areas of steep slopes where high cuts and fills may be required shall be avoided wherever possible, and natural contours shall be followed as closely as possible.
3. Erosion and sedimentation control measures shall apply to all aspects of the proposed project involving land disturbance, and shall be in operation during all stages of the activity. The amount of exposed soil at every phase of construction shall be minimized to reduce the potential for erosion.
4. Any exposed ground area shall be temporarily or permanently stabilized within one week from the time it was last actively worked, the use of riprap, sod, seed, and mulch, or other effective measures. In all cases permanent stabilization shall occur within nine months of the initial date of exposure. In addition:
 - a. Where mulch is used, it shall be applied at a rate of at least one bale per 500 square feet and shall be maintained until a catch of vegetation is established.
 - b. Anchoring the mulch with netting, peg and twine or other suitable method may be required to maintain the mulch cover.
 - c. Additional measures shall be taken where necessary in order to avoid siltation into the water. Such measures may include the use of staked hay bales and/or silt fences.
5. Natural and man-made drainage ways and drainage outlets shall be protected from erosion from water flowing through them. Drainage ways shall be designed and constructed in order to carry water from a 25 year 24 hour storm or greater, and shall be stabilized with vegetation or lined with riprap.

R. Soils

All land uses shall be located on soils in or upon which the proposed uses or structures can be established or maintained without causing adverse environmental impacts, including severe erosion, mass soil movement,

improper drainage, and water pollution, whether during or after construction. Proposed uses requiring subsurface waste disposal, and commercial or industrial development and other similar intensive land uses shall require a soils report based on an on-site investigation and be prepared by state certified professionals. Certified persons may include Maine certified soil scientists, Maine registered professional engineers, Maine State certified geologists and other persons who have training and experience in the recognition and evaluation of soil properties. The report shall be based upon the analysis of the characteristics of the soil and surrounding land and water areas, maximum groundwater elevation, presence of ledge, drainage conditions, and other pertinent data which the evaluator deems appropriate. The soils report shall include recommendations for a proposed use to counteract soil limitations where they excess.

S. Water Quality

No activity shall deposit on or into the ground or discharge to the waters of the State any pollutant that, by itself or in combination with other activities or substances will impair designated uses or the water classification of the water body.

T. Archaeological Sites

Any proposed land use activity involving structural development or soil disturbance on or adjacent to sites listed on, or eligible to be listed on the National Register of Historic Places, as determined by the permitting authority shall be submitted by the applicant to the Maine Historic Preservation Commission for review and comment, at least 20 days prior to action being taken the permitting authority. The permitting authority shall consider comments received from the Commission prior to rendering a decision on the application.

Section 16. Administration

A. Administering Bodies and Agents

1. Code Enforcement Officer: a Code Enforcement Officer shall be appointed or reappointed annually by July 1st.

2. Board of Appeals: a Board of Appeals shall be created in accordance with the provisions of Title 30-A Section 2691.

3. Planning Board: a Planning Board shall be created in accordance with the provisions of State law.

B. Permits Required

After the effective date of this ordinance no person shall, without first obtaining a permit, engage in any activity or use of land or structure requiring a permit in the district in which such activity or use would occur; or expand, change, or replace an existing use or structure; or renew a discontinued nonconforming use.

It permit is not required for the replacement of an existing road culvert as long as:

1. The replacement culvert is not more than 25 percent longer than the culvert being replaced;
2. The replacement culvert is not longer than 75 feet; and
3. Adequate erosion control measures are taken to prevent sedimentation of the water, and the crossing does not block fish passage in the watercourse.

C. Permit Application

1. Every applicant for a permit shall submit a written application, including a scaled site plan, on a form provided by the municipality, to the appropriate official as indicated in Section 14.
2. All applications shall be signed by the owner or owners of the property or other person authorizing the work, certifying that the information in the application is complete and correct. If the person signing the application is not the owner or lessee of the property then that person shall submit a letter of authorization from the owner or lessee.
3. All applications shall be dated, and the Code Enforcement Officer or Planning Board, as appropriate, shall note upon each application the date and time of its receipt.

4. If the property is not served by a public sewer, a valid plumbing permit or a completed application for a plumbing permit, including the site evaluation approved by the Plumbing Inspector, shall be submitted whenever the nature of the proposed structure would require the installation of a subsurface sewage disposal system.

D. Procedure for Administering Permits

1. Within 35 days of the date of receiving a written application, the Planning Board or Code Enforcement Officer, as indicated in Section 14, shall notify the applicant in writing either that the application is a complete application, or, if the application is incomplete, what specific additional material is needed to make the application complete.

2. For applications which are the authority of the Code Enforcement Officer, the Officer shall approve, approve with conditions, or deny the application in writing within 45 days of receiving a completed application.

3. For applications which require Planning Board review, the Planning Board shall approve, approve with conditions, or deny the application within 45 days except that:

a. If the Planning Board has a waiting list of applications, a decision on the application shall occur within 45 days after the first available date on the Planning Board's agenda following receipt of the completed application, or

b. If the Board deems appropriate, a public hearing is scheduled for the application. In which case, a public hearing shall be scheduled within 35 days of the date on which the completed application first appears on the Planning Board agenda, and a decision shall be rendered and the applicant notified in writing within 35 days of the public hearing. (Refer to Subsection H. for public hearing procedures and notification requirements).

4. Permits shall be approved if the proposed use or structure is found to be in conformance with the purposes and provisions of this ordinance.

5. The applicant shall have the burden of proving that the proposed land-use activity is in conformity with the purposes and provisions of this ordinance.

6. After the submission of a complete application to the Planning Board, the Board shall approve an application or approve it with conditions if it makes a positive finding based on the information presented that the proposed use:

- a. Will maintain safe and healthful conditions;
- b. Will not result in water pollution, erosion, or sedimentation to surface waters;
- c. Will adequately provide for the disposal of all wastewater;
- d. Will not have an adverse impact on spawning grounds, fish, aquatic life, bird or other wildlife habitat;
- e. Will conserve shore cover and visual, as well as actual, points of access to inland and coastal waters;
- f. Will protect archaeological and historic resources as designated in the comprehensive plan;
- g. Will avoid problems associated with flood plain development and use; and
- h. Is in conformance with the provisions of Section 15, Land Use Standards.

If a permit is either denied or approved with conditions, the reasons as well as conditions shall be stated in writing. No approval shall be granted for an application involving a structure if the structure would be located in an unapproved subdivision or would violate any other local ordinance or regulations or any State law which the municipality is responsible for enforcing.

E. Special Exceptions

In addition to the criteria specified in Section 16 D. above, the Planning Board may approve a permit for a single family residential structure in a

Resource Protection District provided that the applicant demonstrates all of the following conditions are met:

1. There is no location on the property, other than the location within the Resource Protection District, where a structure can be built.
2. The lot on which the structure is proposed is undeveloped and was established and recorded in the Androscoggin County Registry of Deeds before the adoption of the Resource Protection District.
3. The proposed location of all buildings, sewage disposal systems and other improvements are:
 - a. Located on natural ground slopes of less than 20%; and
 - b. Located outside the floodway of the 100 year floodplain along rivers, based on detailed flood insurance studies and as delineated on the Federal Emergency Management Agency's Flood Boundary and Floodway Maps and Flood Insurance Rate Maps; all buildings, including basements, are elevated at least 1 foot above the 100 floodplain elevation; and the development is otherwise in compliance with the Town of Livermore Falls Floodplain Management Ordinance.

If the floodway is not shown on the Federal Emergency Management Agency maps, it is deemed to be 1/2 the of the 100 year flood plain.

4. The total ground floor area of all principal and accessory structures is limited to a maximum of 1500 square feet.
5. All structures, except functionally water-dependent structures, are set back from the normal high water line or upland edge of a wetland to the greatest practical extent, but not less than 75. In determining the greatest practical extent, the Planning Board shall consider the depth of the lot, the slope of the land, the potential for soil erosion, the type and amount of vegetation to be removed, the proposed building site elevation in regard to the floodplain, and its proximity to moderate-value and high-value wetlands.

F. Expiration of Permit

Following the issuance of a permit, if no substantial start is made in construction or in the use of the property within one year of the date of the permit, the permit shall lapse and become void.

G. Installation of Public Utility Service

No public utility, water district, sanitary district, or any utility company of any kind may install services to any new structure located in the shoreland zone unless written authorization attesting to the validity and currency of all local permits required under this or any previous ordinance has been issued by the appropriate Town officials. Following installation of service, the company or district shall forward the written authorization to the town officials, indicating that installation has been completed.

H. Appeals

1. Powers and Duties of the Board of Appeals

The Board of Appeals shall have the following powers:

- a. Administrative Appeals: to hear and decide appeals where it is alleged that there is an error in any order, requirement, decision, or determination made by, or failure to act by, the Code Enforcement Officer or Planning Board in the administration of this ordinance.
- b. Variance Appeals: To authorize variances upon appeal, within the limitations set forth in this ordinance.

2. Variance Appeals

Variances may be permitted only under the following conditions:

- a. Variances may be granted only from dimensional requirements including but not limited to, lot width, structure height, percent of lot coverage, and setback requirements.
- b. Variances shall not be granted for establishment of any uses otherwise prohibited by this ordinance.
- c. The Board shall not grant a variance unless it finds that:

1. the proposed structure or use would meet provisions of Section 15 except for the specific provisions which has created the nonconformity and from which relief is sought; and
2. the strict application of the terms of this ordinance would result in undue hardship.

The term "undue hardship" to shall mean:

- i. That the land in question cannot yield a reasonable return unless a variance is granted;
 - ii. That the need for a variance is due to the unique circumstances of the property and not to the general conditions in the neighborhood;
 - iii. That the granting of a variance will not alter the essential character of the locality; and
 - iv. That the hardship is not the result of action taken by the applicant or a prior owner.
- d. The Board of Appeals shall limit any variances granted as strictly as possible in order to insure conformance with the purposes and provisions of this ordinance to the greatest extent possible, and in doing so may impose such conditions to a variance as it deems necessary. The party receiving the variance shall comply with any conditions imposed.
- e. The Board of Appeals may grant a variance to an owner of a dwelling for the purpose of making that dwelling accessible to a person with a disability who is living in the dwelling or regularly uses the dwelling. The Board shall restrict any variance granted under the subsection solely to the installation of equipment or the construction of structures necessary for access to or egress from the dwelling by the person with the disability. The Board may impose conditions on the variance, including without limitations the variance to the duration of the disability or to the time that the person with the disability lives in or regularly uses the dwelling. The term "structures necessary for

access to or egress from the property" shall include railing, wall or roofs systems necessary for safety or effectiveness of the structure.

f. A copy of all variances granted by the Board of Appeals shall be submitted to the Department of Environmental Protection within 14 days of the decision.

3. Appeal Procedure

a. Making an Appeal

1. An administrative or variance appeal may be taken to the Board of Appeals by an aggrieved party from any decision of the Code Enforcement Officer or the Planning Board. Such appeal shall be taken within 30 days of the date of the decision appealed from, and not otherwise, except that the Board, upon a showing of good cause, may waive the 30 day requirement.

2. Such appeal shall be made by filing with the Board of Appeals a written notice of appeal which includes:

i. A concise written statement indicating what relief is requested and why it should be granted.

ii. A sketch drawn to scale showing lot lines, location of existing buildings and structures and other physical features of the lot pertinent to the relief sought.

3. Upon being notified of an appeal, the Code Enforcement Officer or Planning Board, as appropriate, shall transmit to the Board of Appeals all of the papers constituting the record of the decision appealed from.

4. The Board of Appeals shall hold a public hearing on the appeal within 35 days of its receipt of an appeal request. (Refer to Subsection H 4 public hearing procedures and notification requirements).

b. Decision by Board of Appeals

1. A majority of the Board shall constitute a quorum for the purpose of deciding an appeal. A member who abstains shall not be counted in determining whether a quorum exists.

2. The concurring vote of a majority of the members of the Board of Appeals present and voting shall be necessary to reverse an order, requirement, decision, or determination of the Code Enforcement Officer, or Planning Board, or to decide in favor of the applicant on any matter on which it is required to decide under this ordinance, or to affect any variation in the application of this ordinance from its stated terms. The Board may reverse the decision, or failure to act, of the Code Enforcement Officer or Planning Board only upon a finding that the decision, or failure to act, was clearly contrary to specific provisions of this ordinance.

3. The person filing the appeal shall have the burden of proof .

4. The Board shall decide all appeals within 35 days after the close of the hearing, and shall issue a written decision on all appeals .

5. All decisions shall become a part of the record and shall include a statement of findings and conclusions as well as the reasons or basis therefore, and the appropriate order, relief or denial thereof.

4. Appeal to Superior Court

Any aggrieved party who participated as a party during the proceedings before the Board of Appeals may take an appeal to Superior Court in accordance with State laws within 30 days from the date of any decision of the Board of Appeals.

5. Reconsideration of

The Board of Appeals may reconsider any decision within 30 days of its prior decision. The Board may conduct additional hearings and receive additional evidence and testimony.

I. Public Hearing Procedures and Notification Requirements - Board of Appeals and Planning Board

The reviewing authority for the subject request shall have notice of the date, time and place of the hearing :

1. Given to the applicant;
2. Mailed to all property owners within 500 feet of the property boundaries; and
3. Published, at least one time, in a newspaper having general circulation in the town. The date the publication must be at least seven days prior to the hearing.

J. Enforcement

1. Nuisances

Any violation of this ordinance shall be deemed to be a nuisance.

2. Code Enforcement Officer

a. It shall be the duty of the Code Enforcement Officer to enforce the provisions of this ordinance. If the Code Enforcement Officer shall find that any provision of this ordinance is being violated, he or she shall notify in writing the person responsible for such violation, indicating the nature of the violation and ordering the action necessary to correct it, including discontinuance of illegal use of land, buildings or structures, or work being done, removal of illegal buildings or structures, and abatement of nuisance conditions. A copy of such notices shall be submitted to the municipal officers and be maintained as a permanent record.

b. The Code Enforcement Officer shall conduct on-site inspections to ensure compliance with all applicable laws and conditions attached to permit approvals. The Code Enforcement Officer shall also investigate all complaints of alleged violations of this ordinance.

c. The Code Enforcement Officer shall keep a complete record of all essentials transactions of the office, including applications submitted, permits granted or denied, variances granted or denied, revocation actions, revocation of permits, appeals, court actions, violations investigated, violations found, and fees collected. Once every two years, a summary of this record shall be submitted to the Director of the Bureau of Land Quality Control within the Department of Environmental Protection.

3. Legal Actions

When the above action does not result in a correction or abatement of the violation or nuisance condition, the Town Officers, upon notice from the Code Enforcement Officer, are hereby directed to institute any and all actions and proceedings, either legal or equitable, including seeking injunctions of violations and the imposition of fines, that may be appropriate and necessary to enforce the provisions of this ordinance in the name of the municipality. The municipal officers, or their authorized agent, are hereby authorized to enter into administrative consent agreements for the purpose of eliminating violations of this ordinance and recovering fines without Court action. Such agreements shall not allow an illegal structure or use to continue unless there is clear and convincing evidence that the legal structure or use was constructed or conducted as a direct result of erroneous advice given by an authorized municipal official and there is no evidence that the owner acted in bad faith, or unless the removal of the structure or use will result in a threat or hazard to public health and safety or will result in substantial environmental damage.

4. Fines

Any person, including but not limited to a landowner, a landowners agent or a contractor, who orders or conducts any activity in violation of this ordinance shall be penalized in accordance with Title 30-A, M R S A, Subsection 4452.

Note: Current penalties include fines of not less than \$100 nor more than \$2,500 per violation for each day that the violation continues.

Section 17. Definitions

Accessory structure or use: a use or structure which is incidental and subordinate to the principal use or structure. Accessory uses, when aggregated, shall not subordinate the principal use of the lot. A deck or similar extension of the principal structure or a garage attached to the principal structure by a roof or a common wall is considered part of the principal structure.

Agriculture: the production, keeping, or maintenance, for sale or lease, of plants and/or animals, including but not limited to: forages and sod crops; grains and seed crops; dairy animals and dairy products; poultry and poultry products; livestock; fruits and vegetables; and ornamental and green house products. Agriculture does not include forest management and timber harvesting activities.

Aggrieved party: an owner of land whose property is directly or indirectly affected by the granting or denial of a permit or variance under this ordinance; a person whose land abuts land for which a permit or variance has been granted; or any other person or group of persons who have suffered particularized injury as a result of the granting or denial of such permit or variance.

Aquaculture: the growing or propagation of harvestable freshwater, estuarine or marine plant or animal species.

Boat Launching Facility: a facility designed primarily for the launching and landing of watercraft, and which may include an access ramp, docking area, and parking spaces for vehicles and trailers.

Campground: any area or tract of land to accommodate 2 or more parties in temporary living quarters, including, but not limited to tents, recreational vehicles or other shelters.

Commercial use: the use of lands, buildings or structures, other than a “home occupation”, defined below, the intent and result of which activity is the production of income from the buying and selling of goods and/or services, exclusive of rental of residential buildings and/or dwelling units.

Dimensional requirements: numerical standards relating to spatial relationships including but not limited to setback, lot area, shore frontage and height.

Driveway: a vehicular access-way less than 500 feet in length serving two lots or less.

Emergency operations: operations conducted for the public health, safety or general welfare, such as protection of resources from immediate destruction or loss, law enforcement, and operations to rescue human beings, property and livestock from the threat of destruction or injury.

Essential services: Gas, electrical or communication facilities; steam, fuel, electric power, or water transmission or distribution lines, towers, and related equipment; telephone cables or lines, poles and related equipment; gas, oil, water, slurry or other similar pipelines; municipal sewage lines, collection or supply systems; and associated storage tanks. Such systems may include towers, poles, wires, mains, drains, pipes, conduits, cables, fire alarms and police call boxes, traffic signals, hydrants, and similar accessories, but shall not include service drops or buildings which are necessary for the furnishing of such services.

Expansion of structure: an increase in the floor area or volume of a structure, including all extensions such as, but not limited to, attached: decks, garages, porches and greenhouses.

Expansion of use: the addition of one month to a use's operating season; additional hours of operation; or the use of more floor area or ground area devoted to a particular use.

Family: one or more persons occupying a premises and living as a single housekeeping unit.

Floor area: the sum of the horizontal areas of the floor(s) of a structure enclosed by exterior walls, plus the horizontal area of any unenclosed portions of a structure such as porches and decks.

Forest management activities: timber cruising and other forest resource evaluation activities, pesticide or fertilizer application, management planning activities, timber stand improvement, pruning, regeneration of forest stands, and other similar or associated activities, exclusive of timber harvesting and the construction, creation or maintenance of roads.

Forest wetland: A fresh wetland dominated by woody vegetation that is 6 meters tall or taller.

Foundations: the supporting substructure of a building or other structure including but not limited to basements, slabs, sills, post, or frost walls.

Freshwater wetland: freshwater swamps, marshes, bogs and similar areas other than forested wetlands which are:

1. Of 10 or more contiguous acres; of less than 10 contiguous acres and adjacent to a surface water body, excluding any river, stream or brook such that in a natural state, the combined surface area is in excess of 10 acres; and
2. Inundated or saturated by surface or groundwater at a frequency and for a duration sufficient to support, and which under normal circumstances do support, the prevalence of wetland vegetation typically adapted for life in saturated soils.

Freshwater wetlands may contain small stream channels or inclusions of land that cannot conform to the criteria of this definition.

Functionally water-dependent uses: those uses that require, for their primary purpose, location on submerged lands or that require direct access to, or location in, inland waters and which cannot be located away from these waters. The uses include, but not limited to recreational fishing and boating facilities, waterfront dock facilities, boatyards and boat building facilities, navigation aids, industrial uses requiring large volumes of cooling or processing water and which cannot reasonably be located or operated at an inland site.

Great pond: any inland body of water which in a natural state has a surface area in excess of 10 acres, and any inland body of water artificially formed or increased which has a surface area in excess of 30 acres except for the purposes of this ordinance, where the artificially formed or increased inland body of water is completely surrounded by land held by a single owner.

Height of a structure: the vertical distance between the mean original grade at the downhill side of the structure and the highest point of the structure, excluding chimneys, steeples, antennas, and similar appurtenances which have no floor area.

Home occupation: an occupation or profession which is customarily conducted on or in a residential structure or property and which is:

1. Clearly incidental to and compatible with the residential use of the property and surrounding residential uses; and
2. Which employs no more than two persons other than family members residing in the home.

Individual private campsite: an area of land which is not associated with the campground, a which is developed for repeated camping by only one group not to exceed 10 individuals and which involve site improvements which may include but not be limited to gravel pads, parking areas, fire places, and tent platforms.

Industrial: the assembling, fabrication, finishing, manufacturing, packaging or processing of goods, or the extraction of minerals.

Lot area: the area of land enclosed within the boundary lines of a lot, minus land below the normal high-water line of a water body or upland edge of a wetland and areas beneath roads serving more than two lots.

Marina: a business establishment having frontage on navigable water and, as its principal use, providing for offshore moorings or docking facilities for boats, and which may also provide accessory services such as boat and related sales, boat repair and construction, indoor and outdoor storage of boats and equipment, boat and tackle shops, and fuel service facilities.

Market Value: the estimated price a property will bring in the open market and under prevailing market conditions in the sale between a willing seller and a willing buyer, both conversant with the property and with prevailing general price levels.

Minimum lot width: The closest distance between the side lot lines of a lot.

Mineral exploration: hand sampling, test boring, or other methods of determining the nature or extent of mineral resources which create minimal disturbance to the land and which include reasonable measures to restore the land to its original condition.

Mineral extraction: any operation within any 12 month period which removes more than 100 cubic yards of soil, topsoil, loam, sand, gravel, clay, rock, peat, or other like material from its natural location, and to transport the product removed, away from the extraction site.

Multi-unit residential: residential structure containing 3 or more residential dwelling units.

Nonconforming lot: a single lot of record which, at the effective date of adoption or amendment of this ordinance, does not meet the area, frontage, or width requirements of the district in which it is located.

Nonconforming structure: a structure which does not meet any one or more of the following dimensional requirements; setback, height, or lot coverage, but which is allowed solely because it was in lawful existence at the time this ordinance or subsequent amendments took effect.

Nonconforming use: use of buildings, structures, premises, land or parts thereof which is not permitted in the district in which it is situated, but which is allowed to remain solely because it was in lawful existence at the time this ordinance or subsequent amendments took effect.

Normal high-water line: that line which is apparent from visible markings, changes in the character of soils due to prolonged action of the water or changes in vegetation, and which distinguishes between predominantly aquatic and predominantly terrestrial land. In the case of wetlands adjacent to rivers and great ponds, the normal high-water line is the upland edge of the wetland, and not the edge of the open water.

Person: an individual, corporation, governmental agency, municipality, trust, estate, partnership, association, two or more individuals having a joint or common interest, or other legal entity.

Piers, docks, wharfs, bridges and other structures and uses extending over or beyond the normal high-water line or within a wetland:

Temporary: structures which remain in or over the water for less than seven months in any period of 12 consecutive months.

Permanent: structures which remain in or over the water for seven months or more in any period of 12 consecutive months.

Principal structure: a building other than one which is used for purposes wholly incidental or accessory to the use of another building for use on the same premises.

Principal use: a use other than one which is wholly incidental or accessory to another use on the same premises.

Public Facility: any facility, including, but not limited to, buildings, property, recreation areas, and roads, which are owned, leased, or otherwise operated, or funded by a governmental body or public entity.

Recent floodplain soils: the following Soil series is described and identified by the National Cooperative Soil Survey:

Alluvial	Cornish	Charles	Fryeburg	Hadley
Limerick	Lovewell	Medomak	Ondawa	Podunk
Rumney	Saco	Suncook	Sunday	Winooski

Recreational facility: a place designed and equipped for the conduct of sports, leisure time activities, and other customary and usual recreational activities, excluding boat launching facilities.

Recreational vehicle: a vehicle or an attachment to a vehicle designed to be towed, and designed for temporary sleeping or living quarters for one or more persons, and which may include a pick-up camper, travel trailer, tent trailer, camp trailer, and motor home. In order to be considered as a vehicle and not as a structure, the unit must remain with its tires on the ground, and must be registered with the State Division of Motor Vehicles.

Replacement system: a system intended to replace:

1. An existing system which is either malfunctioning or being upgraded with no significant change of design flow or use of the structure, or
2. Any existing overboard wastewater discharge.

Residential dwelling unit: a room or group of rooms designed and equipped exclusively for use as permanent, seasonal, or temporary living quarters for only one family. The term shall include mobile homes, but not recreational vehicles.

Riprap: rocks, irregularly shaped, at least 6 inches in diameter, used for erosion control and soil stabilization, typically used on ground slopes of two units horizontal to one unit vertical or less.

River: a free-flowing body of water including its associated flood plain wetlands from that point at which it provides drainage for a watershed of 25 square miles to its mouth.

Road: a route or track consisting of a bed of exposed mineral soil, gravel, asphalt, flood or other surfacing material constructed for or created by the repeated passage of motorized vehicles.

Service drop: any utility line extension which does not cross or run beneath any portion of a water body provided that:

1. In the case of electric service

- a. the placement of wires and/or the installation of utility poles is located entirely upon the premises of the customer requesting service or upon a roadway right-of-way; and
- b. the total length of the extension is less than 1,000 feet.

2. In the case of telephone service

- a. the extension, regardless of length, will be made by the installation of telephone wires to existing utility poles, or
- b. the extension requiring the installation of new utility poles or placement underground is less than 1,000 feet. in length.

Setback: the nearest horizontal distance from the normal high-water line to the nearest part of a structure, road, parking space or other regulated object or area.

Shore frontage: The length of a lot bordering on a water body measured in a straight line between the intersections of the lot lines with the shoreline at normal high-water elevation.

Shoreland zone: the land area located within 250 feet, horizontal distance, of the normal high-water line of any great pond or river; within 75 feet of a stream; or within 250 feet of the upland edge of a freshwater wetland.

Significant River Segments: See Title 38 M R S A Section 437.

Stream: a free-falling body of water from the outlet of a great pond or the confluence of two perennial streams as depicted on the most recent addition of a United States Geological Survey 7.5 minutes series topographic map, or if not available, a 15 minutes series topographic map, to the point where the body of water becomes a river.

Structure: anything built for the support, shelter or enclosure of persons, animals, goods or property of any kind, together with anything constructed or erected with a fixed location on or in the ground, exclusive of fences. The term includes structures temporarily or permanently located, such as decks or satellite dishes.

Substantial start: completion of 30% of a permitted structure or use measured as a percentage of estimated total cost.

Subsurface sewage disposal system: a collection of treatment tank(s), disposal area(s), holding tank(s), and pond(s), surface spray system(s), cesspool(s), well(s), the surface ditch(es), alternative toilet(s), or other devices and associated piping designed to function as a unit for the purpose of disposing of wastes or wastewater on or beneath the surface of the earth. The term shall not include any wastewater discharge system licensed under 38 M R S A Section 414, any surface wastewater disposal system licensed under 38 M R S A Section 413 Subsection 1-A, or any public sewer. The term shall not include a wastewater disposal system designed to treat wastewater which is in whole or in part hazardous waste as defined in 38 M R S A Chapter 13, Subchapter 1.

Sustained slope: a change in elevation where the referenced percent grade is substantially maintained or exceeded throughout the measured area.

Timber harvesting: the cutting and removal of trees from their growing site, and the attendant operation of cutting and skidding machinery but not the construction or creation of roads. Timber harvesting does not include the clearing of land for approved construction.

Tributary stream: a channel between defined banks created by the action of surface water, whether intermittent or perennial, and which is characterized by a lack of upland vegetation or presence of aquatic vegetation and by the presence of a bed devoid of topsoil containing waterborne deposits on exposed soil, parent material or bedrock, and which flows to a water body or wetland as defined. This definition does not include the term "stream" as defined elsewhere in this ordinance, and only applies to that portion of the tributary stream located within the shoreland zone of the receiving water body or wetland.

Upland edge: the boundary between the upland and wetland.

Vegetation: all live trees, shrubs, ground cover, and other plants including, without limitation, trees both over and under 4 inches in diameter, measured at 4 1/2 above ground level.

Volume of a structure: The volume of all portions of a structure enclosed by roof and fixed exterior walls as measured from the exterior faces of these walls and roof.

Water body: any great pond, river, stream.

Water crossing: any project extending from one bank to the opposite bank of a river or stream, whether under, through, or over the watercourse. Such projects include, but may not be limited to, roads, fords, bridges, culverts, water lines, sewer lines, and cables, as well as maintenance work on these crossings.

Wetland: a freshwater wetland.

Wetlands associated with great ponds and rivers: wetlands contiguous with or adjacent to a great pond or river, and which during normal high water, are connected by surface water to the great pond or river. Also included are wetlands which are separated from the great pond or river by a berm, causeway, or similar feature less than 100 feet in width, and which have a

surface elevation at or below the normal high water line of the great pond or river. Wetlands associated with great ponds or rivers are considered to be part of that great pond or river.

Adopted June 3, 1991

Amended June 9, 1999

Amended June 13, 2001